

Safety Data Sheet Manganese Dioxide

Version: 1.0 Revision date: 09/01/2015 Supersedes: 06/01/2013

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product Identifiers

Product Form: crystalline

Substance Name: Manganese Dioxide

CAS No.: 1313-13-9

Product Code: UIC, Inc. Catalog Number CM300-009

1.2. Intended Use of the Product

Use of the substance/mixture:

Name, Address, and Telephone of the Responsible Party

UIC Inc

1225 Channahon Rd Joliet, IL 60436

Phone: (815) 744-4477 Fax: (815) 744-1561

Emergency Telephone Number

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call emergency number: 1-815-474-8753

2. Hazards Identification of the product

2.1. Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. GHS Label elements, including precautionary statements

Pictogram

 \Diamond

Signal word Warning

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel

unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or doctor/ physician if you

feel unwell.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3. Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. Composition/information on ingredients

3.1. Substances

Synonyms: Manganese dioxide; Pyrolusite; Manganese black; Manganese peroxide

Formula: MnO₂
Molecular weight: 86.94 g/mol
CAS-No.: 1313-13-9
EC-No.: 215-202-6
Index-No.: 025-001-00-3

Hazardous components

Component	Classification	Concentration
Manganese Dioxide	Acute Tox. 4; H302 + H332	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First Aid Measures

4.1. Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3. Indication of any immediate medical attention and special treatment needed

No data available

5. Fire Fighting Measures

5.1. Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Manganese/manganese oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4. Further information

No data available

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

For personal protection see section 8.

6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

7. Handling and Storage

7.1. Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure Controls and Personal Protection

8.1. Control Parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control Parameters	Basis
Manganese dioxide	1313-13-9	С	5.000000 mg/m3	USA. Occupational Exposure Limits
				(OSHA) - Table Z-1 Limits for Air
				Contaminants
	Remarks	Ceiling limit is to be determined from breathing-zone air samples.		
		TWA	0.200000 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
		Central Nervous System impairment Adopted values or notations		
		enclosed are those for which changes are proposed in the NIC See		
		Notice of Intended Changes (NIC) varies		
		TWA	1.000000 mg/m3	USA. NIOSH Recommended Exposure
				Limits
		ST	3.000000 mg/m3	USA. NIOSH Recommended Exposure
				Limits
		TWA	0.100000 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
		Central Nervous System impairment 2014 Adoption varies		
		TWA	0.020000 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV
		Central Nervous System impairment 2014 Adoption varies		
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
		Central Nervous System impairment varies		
		TWA	0.02 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
		Central Nervous System impairment varies		

8.2. Exposure Controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril ® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril ® (KCL 740 / Aldrich Z677272, Size M)

Data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: solid
b) Odor No data available
c) Odor Threshold No data available
d) pH No data available

e) Melting point/freezing point Melting point/range: 535 °C (995 °F) - dec

f) Initial boiling point and boiling range
g) Flash point
h) Evaporation rate
i) Flammability (solid, gas)
j) Upper/lower flammability or explosive limits
k) Vapor pressure
l) Vapor density
No data available
No data available
No data available
No data available

l) Vapor density
Mo data available
m) Relative density
5.026 g/cm3
n) Water solubility
No data available
o) Partition coefficient: noctanol/water
No data available
p) Auto-ignition temperature
No data available
q) Decomposition temperature
No data available

r) Viscosity
s) Explosive properties
t) Oxidizing properties
No data available
No data available
No data available

9.2 Other safety information

No data available

10. Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong acids, Strong reducing agents, Organic materials

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available Dermal: No data available **Skin corrosion/irritation**

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: OP0350000

Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

12. Ecological Information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. Transport Information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Manganese dioxide 1313-13-9 2007-07-01

SARA 311/312 Hazards

Manganese dioxide

Manganese dioxide

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right to Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

CAS-No. Revision Date 1313-13-9 2007-07-01

New Jersey Right to Know Components

CAS-No. Revision Date 1313-13-9 2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. Other Information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
H302 Harmful if swallowed
H302 + H332 Harmful if swallowed or if inhaled
H332 Harmful if inhaled

HMIS Rating

Health hazard: 2 Chronic Health Hazard: * Flammability: 0 Physical Hazard: 0

NFPA Rating

Health hazard: 2 Fire Hazard: 0 Reactivity Hazard: 0

Further information

UIC, Inc. has obtained the most current chemical information available to us in updating this Safety Data Sheet. However, users should always use caution when working with chemicals, as UIC, Inc. assumes no liability resulting from its use. Additionally, we make no warranty with respect to any information published on this sheet, either stated or implied.

Version: 1.0 Revision Date: 09/01/2015