

Safety Data Sheet Magnesium Perchlorate Version: 1.0 Revision date: 09/24/2015 Supersedes: 03/01/2013

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product Identifiers Product Form: Solid Substance Name: Magnesium Perchlorate CAS No.: 10034-81-8 Product Code: UIC, Inc. Catalog Number CM300-009

1.2. Intended Use of the Product

Use of the substance/mixture: Name, Address, and Telephone of the Responsible Party UIC Inc 1225 Channahon Rd Joliet, IL 60436 Phone: (815) 744-4477 Fax: (815) 744-1561 Emergency Telephone Number For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call emergency number: 1-815-474-8753

2. Hazards Identification of the product

2.1. Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Oxidizing solids (Category 2), H272 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. GHS Label elements, including precautionary statements

Pictogram

(ب) 🔇

Signal wordDangerHazard statement(s)H272 May intensify fire; oxidiser.H315 Causes skin irritation.H319 Causes serious eye irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.H335 May cause respiratory irritation.Precautionary statement(s)P210 Keep away from heat.P220 Keep/Store away from clothing/ combustible materials.P221 Take any precaution to avoid mixing with combustibles.P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.P264 Wash skin thoroughly after handling.P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3. Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. Composition/information on ingredients

3.1. Substances

 Synonyms:
 Perchloric acid, magnesium salt; Anhydrone®; Dehydrire; Magnesium perchlorate, desiccant

 Formula:
 Mg(ClO₄)₂

 Molecular weight:
 223.206 g/mol

 CAS-No.:
 10034-81-8

 EC-No.:
 233-108-3

Hazardous components

Component	Classification	Concentration
Magnesium Perchlorate	Ox. Sol. 2; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H272, H315, H319, H335	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First Aid Measures

4.1. Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3. Indication of any immediate medical attention and special treatment needed No data available

5. Fire Fighting Measures

5.1. Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture Hydrogen chloride gas, Magnesium oxide

5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4. Further information

Use water spray to cool unopened containers.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2. Environmental precautions Do not let product enter drains.

6.3. Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

7. Handling and Storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure Controls and Personal Protection

8.1. Control Parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2. Exposure Controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested: Dermatril ® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested: Dermatril ® (KCL 740 / Aldrich Z677272, Size M)

Data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. **Body Protection**

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

- a) Appearance
- b) Odor
- c) Odor Threshold
- d) pH
- e) Melting point/freezing point
- f) Initial boiling point and boiling range
- g) Flash point
- h) Evaporation rate
- i) Flammability (solid, gas)
- j) Upper/lower flammability or explosive limits
- k) Vapor pressure
- I) Vapor density
- m) Specific gravity
- n) Relative density
- o) Water solubility
- p) Partition coefficient: n-octanol/water
- q) Auto-ignition temperature
- r) Decomposition temperature
- s) Viscosity
- t) Explosive properties
- u) Oxidizing properties

9.2 Other safety information

No data available

10. Stability and Reactivity

- 10.1 Reactivity
 - No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions
 - No data available
- **10.4 Conditions to avoid** No data available

Form: solid, White granular powder. Hygroscopic. Odorless No data available No data available Melting point/range: 251 °C (484 °F) - dec No data available Not applicable No data available No data available No data available No data available 7.7 (air=1) 2.3 2.210 g/cm3 99 gm/100 gm in water No data available The substance or mixture is classified as oxidizing with the category 2

10.5 Incompatible materials

Water, strong reducing agents, organic materials, powdered metals, strong acids

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Dermal: no data available LD50 Intraperitoneal - mouse - 1,500 mg/kg

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity - repeated exposure No data available Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. Ecological Information

12.1 Toxicity

- No data available
- **12.2 Persistence and degradability** No data available
- 12.3 Bioaccumulative potential
- No data available
- 12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted **12.6 Other adverse effects**

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. **Contaminated packaging**

Dispose of as unused product.

14. Transport Information

. DOT (US)

UN number: 1475 Class: 5.1 Packing group: II Proper shipping name: Magnesium perchlorate Reportable Quantity (RQ): Marine pollutant: No Poison Inhalation Hazard: No IMDG UN number: 1475 Class: 5.1 Packing group: II EMS-No: F-H, S-Q Proper shipping name: MAGNESIUM PERCHLORATE Marine pollutant: No ΙΑΤΑ UN number: 1475 Class: 5.1 Packing group: II Proper shipping name: Magnesium perchlorate

15. Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard

Massachusetts Right to Know Components				
	CAS-No.	Revision Date		
Magnesium Perchlorate	10034-81-8	1993-04-24		
Pennsylvania Right to Know Components				
	CAS-No.	Revision Date		
Magnesium Perchlorate	10034-81-8	1993-04-24		
New Jersey Right to Know Components				
	CAS-No.	Revision Date		
Magnesium Perchlorate	10034-81-8	1993-04-24		

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. Other Information Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit. Eye irritation H272 May intensify fire; oxidiser. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Ox. Sol. Oxidizing solids Skin Irrit. Skin irritation STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 2 Chronic Health Hazard: Flammability: 0 Physical Hazard: 2

NFPA Rating

Health hazard: 2 Fire Hazard: 0 Reactivity Hazard: 2 Special hazard I: OX

Further information

UIC, Inc. has obtained the most current chemical information available to us in updating this Safety Data Sheet. However, users should always use caution when working with chemicals, as UIC, Inc. assumes no liability resulting from its use. Additionally, we make no warranty with respect to any information published on this sheet, either stated or implied.

Version: 1.0

Revision Date: 09/24/2015