



Safety Data Sheet

Copper Oxide

Version: 1.0
Revision date:
12/03/2015
Supersedes:
03/01/2013

1. Product and Company Identification

1.1. Product Identifiers

Substance Name: Copper Oxide
CAS No.: 1317-38-0
Product Code: UIC, Inc. Catalog Number CM300-029

1.2. Intended Use of the Product

Use of the substance/mixture: Laboratory chemicals, Manufacture of substances

Name, Address, and Telephone of the Responsible Party

UIC Inc
1225 Channahon Rd
Joliet, IL 60436
Phone: (815) 744-4477
Fax: (815) 744-1561

Emergency Telephone Number

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call emergency number: 1-815-474-8753

2. Hazards Identification of the Product

2.1. Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3. Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. Composition/information on ingredients

3.1. Substances

Synonyms:	Cupric oxide
Formula:	CuO
Molecular weight:	79.55 g/mol
CAS-No.:	1317-38-0
EC-No.:	215-269-1

Hazardous components

Component	Classification	Concentration
Copper Oxide	Aquatic Acute 1; Aquatic Chronic 3; H400, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First Aid Measures

4.1. Description of first aid measures

General Information

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3. Indication of any immediate medical attention and special treatment needed

No data available

5. Fire Fighting Measures

5.1. Suitable Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Copper oxides.

5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4. Further information

No data available

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3. Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

7. Handling and Storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure Controls and Personal Protection

8.1. Control Parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control Parameters	Basis
Copper Oxide	1317-38-0	TWA	0.100000 mg/m ³	USA. NIOSH Recommended Exposure Limits
	Remarks	Also see specific listing for Copper (dusts and mists)		
		TWA	0.100000 mg/m ³	USA. NIOSH Recommended Exposure Limits
		Also see specific listing for Copper (dusts and mists)		
		TWA	0.1 mg/m ³	USA. NIOSH Recommended Exposure Limits
		Also see specific listing for Copper (dusts and mists)		

8.2. Exposure Controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

a) Appearance	Form: Wire
b) Color	Black
c) Odor	No data available
d) Odor Threshold	No data available
e) pH	No data available
f) Melting point/freezing point	Melting point/range: 1,336 °C (2,437 °F)
g) Initial boiling point and boiling range	No data available
h) Flash point	No data available
i) Evaporation rate	No data available
j) Flammability (solid, gas)	No data available
k) Upper/lower flammability or explosive limits	No data available
l) Vapor pressure	No data available
m) Vapor density	No data available
n) Relative density	6.320 g/cm ³
o) Water solubility	0.0001 g/l - insoluble
p) Partition coefficient: n-octanol/water	No data available
q) Auto-ignition temperature	No data available
r) Decomposition temperature	No data available
s) Viscosity	No data available
t) Explosive properties	No data available
u) Oxidizing properties	The substance or mixture is not classified as oxidizing.

9.2 Other safety information

Bulk density 1.25 g/l

10. Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Reducing agents, Hydrogen sulfide gas, Aluminum, Alkali metals, and Powdered metals

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. Toxicological Information

11.1 Information on likely routes of exposure

Acute toxicity

LD50 Oral - Rat - > 2,500 mg/kg

(OECD Test Guideline 423)

Inhalation: No data available

LD50 Dermal - Rat - > 2,000 mg/kg

(OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin – Rabbit

Result: No skin irritation

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes – Rabbit

Result: Mild eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test (GPMT) - Guinea pig

Does not cause skin sensitization.

(OECD Test Guideline 406)

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information RTECS: GL7900000

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has led to hemolytic anemia and accelerates arteriosclerosis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. Ecological Information

12.1 Toxicity

Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 0.19 - 0.21 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 0.011 - 0.039 mg/l - 48 h
	NOEC - Lamellibranchia (mussel) - 0.007 mg/l - 288 h
Toxicity to algae	NOEC - Phaeodactylum tricornutum - 0.0057 mg/l - 72 h

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. Disposal Considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. Transport Information

DOT (US)

Not dangerous goods

IMDG

UN number 3077 Class 9 Packing group: III EMS-No: F-A, S-F
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper oxide)

Marine pollutant: yes

IATA

UN number 3077 Class 9 Packing group: III
UN proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper oxide)

Further information EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packaging and combination packaging containing inner packaging with Dangerous Goods > 5L for liquids or > 5kg for solids.

15. Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components (TRI reporting)

The following components are subject to reporting levels established by SARA Title III, Section 313:

Chemical name	CAS-No.	Revision Date
Copper oxide	1317-38-0	2007-07-01

Massachusetts Right to Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

Chemical name	CAS-No.	Revision Date
Copper oxide	1317-38-0	2007-07-01

New Jersey Right to Know Components

Chemical name	CAS-No.	Revision Date
Copper oxide	1317-38-0	2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. Other Information**Full text of H-Statements referred to under sections 2 and 3.**

Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

HMIS Rating

Health hazard: 0
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 0
Fire Hazard: 0
Reactivity Hazard: 0

Further information

UIC, Inc. has obtained the most current chemical information available to us in updating this Safety Data Sheet. However, users should always use caution when working with chemicals, as UIC, Inc. assumes no liability resulting from its use. Additionally, we make no warranty with respect to any information published on this sheet, either stated or implied.

Version: 1.0

Revision Date: 12/03/2015